

| TObject | | | HMUScalers | |
|---------------------|------------------|---------------------|--------------|------------------|
| fUniqueID | kNotDeleted | kWriteDelete | scaler0 | scaler8 |
| fBits | kZombie | fgIsA | scaler1 | scaler9 |
| fgDtorOnly | kBitMask | | scaler2 | scaler10 |
| fgObjectStat | kSingleKey | | scaler3 | scaler11 |
| kIsOnHeap | kOverwrite | | scaler4 | scaler12 |
| @~TObject | GetOption | operator new | scaler5 | scaler13 |
| MakeZombie | GetObjectInfo | operator new[@@] | scaler6 | fgIsA |
| DoError | GetTitle | operator delete | scaler7 | |
| TObject | HandleTimer | operator delete@[@] | @~HMUScalers | getScaler3 |
| TObject | Hash | operator delete | HMUScalers | getScaler4 |
| operator= | InheritsFrom | operator delete@[@] | setScaler0 | getScaler5 |
| AppendPad | InheritsFrom | SetBit | setScaler1 | getScaler6 |
| Browse | Inspect | SetBit | setScaler2 | getScaler7 |
| ClassName | IsFolder | ResetBit | setScaler3 | getScaler8 |
| Clear | IsEqual | TestBit | setScaler4 | getScaler9 |
| Clone | IsSortable | TestBits | setScaler5 | getScaler10 |
| Compare | IsOnHeap | InvertBit | setScaler6 | getScaler11 |
| Copy | IsZombie | Info | setScaler7 | getScaler12 |
| Delete | Notify | Warning | setScaler8 | getScaler13 |
| DistancetoPrimitive | Is | Error | setScaler9 | Class |
| Draw | Paint | SysError | setScaler10 | Class_Name |
| DrawClass | Pop | Fatal | setScaler11 | IsA |
| DrawClone | Print | AbstractMethod | setScaler12 | ShowMembers |
| Dump | Read | MayNotUse | setScaler13 | Streamer |
| Execute | RecursiveRemove | GetDtorOnly | getScaler0 | StreamerNVirtual |
| Execute | SavePrimitive | SetDtorOnly | getScaler1 | |
| ExecuteEvent | SetDrawOption | GetObjectStat | getScaler2 | |
| FindObject | SetUniqueId | SetObjectStat | | |
| FindObject | UseCurrentStyle | Class | | |
| GetDrawOption | Write | Class_Name | | |
| GetUniqueId | Write | IsA | | |
| GetName | operator new | ShowMembers | | |
| GetIconName | operator new[@@] | | | |