

| TObject             |                  |                     |
|---------------------|------------------|---------------------|
| fUniqueID           | kNotDeleted      | kWriteDelete        |
| fBits               | kZombie          | fgIsA               |
| fgDtorOnly          | kBitMask         |                     |
| fgObjectStat        | kSingleKey       |                     |
| kIsOnHeap           | kOverwrite       |                     |
| @~TObject           | GetOption        | operator new        |
| MakeZombie          | GetObjectInfo    | operator new@[@]    |
| DoError             | GetTitle         | operator delete     |
| TObject             | HandleTimer      | operator delete@[@] |
| TObject             | Hash             | operator delete     |
| operator=           | InheritsFrom     | operator delete@[@] |
| AppendPad           | InheritsFrom     | SetBit              |
| Browse              | Inspect          | SetBit              |
| ClassName           | IsFolder         | ResetBit            |
| Clear               | IsEqual          | TestBit             |
| Clone               | IsSortable       | TestBits            |
| Compare             | IsOnHeap         | InvertBit           |
| Copy                | IsZombie         | Info                |
| Delete              | Notify           | Warning             |
| DistancetoPrimitive | Is               | Error               |
| Draw                | Paint            | SysError            |
| DrawClass           | Pop              | Fatal               |
| DrawClone           | Print            | AbstractMethod      |
| Dump                | Read             | MayNotUse           |
| Execute             | RecursiveRemove  | GetDtorOnly         |
| Execute             | SavePrimitive    | SetDtorOnly         |
| ExecuteEvent        | SetDrawOption    | GetObjectStat       |
| FindObject          | SetUniqueID      | SetObjectStat       |
| FindObject          | UseCurrentStyle  | Class               |
| GetDrawOption       | Write            | Class_Name          |
| GetUniqueID         | Write            | IsA                 |
| GetName             | operator new     | ShowMembers         |
| GetIconName         | operator new@[@] |                     |

| TNamed       |
|--------------|
| fName        |
| fTitle       |
| fgIsA        |
| @~TNamed     |
| TNamed       |
| TNamed       |
| TNamed       |
| TNamed       |
| operator=    |
| Clear        |
| Clone        |
| Compare      |
| Copy         |
| FillBuffer   |
| GetName      |
| GetTitle     |
| Hash         |
| IsSortable   |
| SetName      |
| SetNameTitle |
| SetTitle     |
| Is           |
| Print        |
| Sizeof       |
| Class        |
| Class_Name   |
| IsA          |
| ShowMembers  |

| HParSet            |
|--------------------|
| detName[10]        |
| versions[3]        |
| status             |
| changed            |
| paramContext       |
| author             |
| description        |
| fgIsA              |
| @~HParSet          |
| HParSet            |
| init               |
| init               |
| init               |
| write              |
| write              |
| clear              |
| print              |
| getDetectorName    |
| resetInputVersions |
| setInputVersion    |
| getInputVersion    |
| setStatic          |
| isStatic           |
| setChanged         |
| hasChanged         |
| setParamContext    |
| getParamContext    |
| setAuthor          |
| getAuthor          |
| setDescription     |
| getDescription     |
| copyComment        |
| Class              |
| Class_Name         |
| IsA                |
| ShowMembers        |
| Streamer           |
| StreamerNVirtual   |

| HMdcCutStat         |
|---------------------|
| fSecs               |
| fMdc                |
| fMdcCutStat         |
| fgIsA               |
| @~HMdcCutStat       |
| setNameTitle        |
| HMdcCutStat         |
| setCal1StatCutT1    |
| setCal1StatCutT2    |
| setCal1StatCutT12   |
| setCal1StatCutWire  |
| getCal1StatCutT1    |
| getCal1StatCutT2    |
| getCal1StatCutT12   |
| getCal1StatCutWire  |
| getCal1StatCutT1T12 |
| getCal1StatCutAll   |
| getCal1StatAll      |
| deleteHMdcCutStat   |
| getExObject         |
| getObject           |
| getCal1StatCut      |
| setCal1StatCut      |
| init                |
| write               |
| putAsciiHeader      |
| writeline           |
| operator@[@]        |
| getSize             |
| clear               |
| printParam          |
| Class               |
| Class_Name          |
| IsA                 |
| ShowMembers         |