

| TObject             |                  |                     |
|---------------------|------------------|---------------------|
| fUniqueID           | kNotDeleted      | kWriteDelete        |
| fBits               | kZombie          | fgIsA               |
| fgDtorOnly          | kBitMask         |                     |
| fgObjectStat        | kSingleKey       |                     |
| kIsOnHeap           | kOverwrite       |                     |
| @~TObject           | GetOption        | operator new        |
| MakeZombie          | GetObjectInfo    | operator new@[2]    |
| DoError             | GetTitle         | operator delete     |
| TObject             | HandleTimer      | operator delete@[4] |
| TObject             | Hash             | operator delete     |
| operator=           | InheritsFrom     | operator delete@[4] |
| AppendPad           | InheritsFrom     | SetBit              |
| Browse              | Inspect          | SetBit              |
| ClassName           | IsFolder         | ResetBit            |
| Clear               | IsEqual          | TestBit             |
| Clone               | IsSortable       | TestBits            |
| Compare             | IsOnHeap         | InvertBit           |
| Copy                | IsZombie         | Info                |
| Delete              | Notify           | Warning             |
| DistancetoPrimitive |                  | Error               |
| Draw                | Paint            | SysError            |
| DrawClass           | Pop              | Fatal               |
| DrawClone           | Print            | AbstractMethod      |
| Dump                | Read             | MayNotUse           |
| Execute             | RecursiveRemove  | GetDtorOnly         |
| Execute             | SavePrimitive    | SetDtorOnly         |
| ExecuteEvent        | SetDrawOption    | GetObjectStat       |
| FindObject          | SetUniqueID      | SetObjectStat       |
| FindObject          | UseCurrentStyle  | Class               |
| GetDrawOption       | Write            | Class_Name          |
| GetUniqueID         | Write            | IsA                 |
| GetName             | operator new     | ShowMembers         |
| GetIconName         | operator new@[2] |                     |

| HidUnpack   |
|-------------|
| pSubEvt     |
| pRawCat     |
| fgIsA       |
| @~HidUnpack |
| getSubEvtId |
| getpSubEvt  |
| execute     |
| init        |
| reinit      |
| finalize    |
| setCategory |
| Class       |
| Class_Name  |
| IsA         |
| ShowMembers |
| Streamer    |

| HMdcUnpacker                     |                                  |                                        |
|----------------------------------|----------------------------------|----------------------------------------|
| dataword                         | consistencyCheck                 | excludeBlackList recoveryStorage       |
| noComment                        | disableSamNrConsistencyCheck     | fillDataWord                           |
| pMdcRawEventHeaderCat            | eventHeaderCat                   | eventHeaderCat                         |
| pMdcDataWordCat                  | mdcDataWordCat                   | excludeBlackListAddress                |
| pReadout                         | fillDataWord                     | excludeBlackListCOMPRESSED             |
| rawc                             | continueDecoding                 | continueDecoding                       |
| subEvtId                         | determineDecodeVersion           | excludeBlackList UNCOMPRESSED_ROC_HEAD |
| tdcMode                          | standalone                       | recoveredBlackListCOMPRESSED_ROC_HEAD  |
| subHeaderDecodeVersion           | setManualrecoveryBlackList       | excludeBlackListContextD               |
| decodeVersion                    | setup[6][4]                      | recoveryBlackListAddress               |
| maxDecodeVersion                 | unpackerDebug                    | recoveryBlackListSigA                  |
| debug                            | rocEvtHeaderSize                 | recoveryBlackListContext               |
| @~HMdcUnpacker                   | initCategory                     | excludeBlackListData                   |
| HMdcUnpacker                     | print                            | errorAndExitCompilData                 |
| HMdcUnpacker                     | setConsistencyCheck              | errorAndExitDeterminDataVersion        |
| HMdcUnpacker                     | setContinueDecoding              | errorAndExitDeterminDataVersion        |
| init                             | setDebug                         | errorAndExitFillDataWord               |
| reinit                           | setDecodeVersion                 | errorAndExitInitDataWord               |
| execute                          | setDefaults                      | errorAndExitInitDataWord               |
| finalize                         | setDisableSamNrConsistencyCheck  | errorAndExitInitDataWord               |
| checkMdcSetup                    | setErrorOutputFileName           | errorAndExitSetDecodeVersion           |
| checkMboRawStr                   | setErrorOutputFileName           | errorAndExitSetDecodeVersion           |
| decodeSubHeader                  | setExcludeBlackList              | errorAndExitSetDecodeVersion           |
| decodingMode                     | setExcludeBlackList              | errorAndExitSetDecodeVersion           |
| determineDecodeVersion           | includeBlackList                 | errorAndExitSetDecodeVersion           |
| getConsistencyCheck              | enableExcludeBlackList           | errorAndExitSetDecodeVersion           |
| getContinueDecoding              | disableExcludeBlackList          | errorAndExitSetDecodeVersion           |
| getDebug                         | setRecoverBlackList              | errorAndExitSetDecodeVersion           |
| getDecodeVersion                 | setRecoverBlackList              | errorAndExitSetDecodeVersion           |
| getMaxDecodeVersion              | setRecoverBlackList              | errorAndExitSetDecodeVersion           |
| getExcludeBlackList              | enableRecoverBlackList           | errorAndExitSetDecodeVersion           |
| getRecoverBlackList              | disableRecoverBlackList          | errorAndExitSetDecodeVersion           |
| getFillDataWord                  | setFillDataWord                  | errorAndExitSetDecodeVersion           |
| getMdcSetup                      | setPersistenceRawEventHeaderSize | errorAndExitSetDecodeVersion           |
| getPersistenceRawEventHeaderSize | setPersistenceRawEventHeaderSize | errorAndExitSetDecodeVersion           |
| getPersistenceDataWord           | setPersistenceDataWord           | errorAndExitSetDecodeVersion           |
| getStandalone                    | setStandalone                    | errorAndExitSetDecodeVersion           |
| getSubEvtId                      | setSubHeaderDecodeVersion        | errorAndExitSetDecodeVersion           |
| getSubEvtIdToSample              | setTdcMode                       | errorAndExitSetDecodeVersion           |
| getSubHeaderDecodeVersion        | setUnpackerDebug                 | errorAndExitSetDecodeVersion           |
| getRocEvtHeaderSize              | setMdcSetup                      | errorAndExitSetDecodeVersion           |
| getTime                          | setQuietMode                     | errorAndExitSetDecodeVersion           |
| getTdc                           | getQuietMode                     | errorAndExitSetDecodeVersion           |
| getTdcMode                       | compareEventDateFromFill         | errorAndExitSetDecodeVersion           |
| getUnpackerDebug                 | gexec                            | executeBlackListRecovery               |